CATEGORY: MISC

CONTRACT DATA REQUIREMENTS LIST

		TO CONT	Y: MISC RACT/PR:	SYSTEM/I	ΓEM:	COVER	PYROTECHNIC	
1.	SEQUEN	ICE NUMB	ER				14.	DRFT/REG/REPRO
	TITLE 3. SUE	OF DATA	ITEM					COFIED
5.	CONTRA	TEM NUM CT REFE	RENCE	DD 8. APP	9. DI	ST STAT	rement	
10.	. FREQU	JENCY 1	1. AS OF	250 CODE DATE	RE	QUIRED		
12.							ENT SUBMISSION	
1.	A001						14.	
2.	ENGINE	ERING C	HANGE PRO	POSAL (ECP)			SEE ADDRESS COI DISTRIBUTION ATTACHED***	DE / / / / / /
4.	DI-CMA	M-80639	C*					
5.	SECTIO	N C						
6.	AMSTA-	-AR-QAW-	I 7.	LT 8	9. **			
10.	ASREÇ	1	1				15. TOTAI	0/ 0/ 0
12.	ASREQ	2		13. ASRE	Q			
	ENT O ATIBL D AND ECP- LOCA THE P	TE PARA()F THE E()E SOFTWI) IMPLEMI :INPUT@R:)TED AT 1)PREFERREI	CP. CONT ARE (I.E. ENTED BY ' IA.ARMY.M HTTP://E-I D METHOD (RACTOR FORMA , MICROSOFT (THE DOD CONF IL. ELECTROI DATA.PICA.ARI DF SUBMISSION	I IS A DFFICT IGURA NIC FO MY.MIT N FOR	ACCEPTA E). ** TION MG ILES MU L/PROD_ THIS E	ABLE, DATA MUST DIST STATEMENT R. ***SUBMIT EI UST BE LESS THAN TECHDATA/CMDOCS DATA ITEM.(DD FO	
	A002	·					14.	
	REQUES	T FOR D	EVIATION	(RFD)			SEE ADDRESS COI DISTRIBUTION ATTACHED***	DE / / / / / /
4.	DI-CMA	M-806400	C*					
5.	SECTIO	N C						
6.	AMSTA-	AR-QAW-	I 7.]	LT 8 9). **			
10.	ASREQ) 1:	1. -				15. TOTAL	0/0/0
12.	ASREQ	!		13. ASRE	5			
16.	REMAR	KS						

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONT ENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. ***SUBMIT ELECTRONICALLY TO ECP-INPUT@RIALARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFFERED METHOD OF SUBMISSTION FOR THIS DATA ITEM. (DD FORMS)

				
1. A003		14.		
2. NOTICE (CE OF REVISION (NOR)			
4. DI-CMAN	-80642C*			
5. SECTION	С			
6. AMSTA-A	R-QAW-I 7. LT	8 9. ***		
10. ASREQ	11		15. TOTAL	0/ 0/ 0
12. ASREQ		13. ASREQ		
TENT OF LE SOFT RIA.ARI P://E-I ETHOD O	F NOR. CONTRACTOR TWARE (I.E., MICRO MY.MIL. ELECTRONIO DATA.PICA.ARMY.MII DF SUBMISSION FOR	FORMAT IS ACCEPTA DSOFT OFFICE). **S C FILES MUST BE LE L/PROD_TECHDATA/CM	DATA DELIVERY DESCR. BLE, DATA MUST BE IN UBMIT ELECTRONICALLY SS THAN 7MB. FORMS IN DOCS-LINKS.HTM ARE THE THE DIST STATEMENT TION MANAGER.	GOVT COMPATIE TO ECP-INPUT@ LOCATED AT HTT HE PREFERRED M
1. A004		· · · · · · · · · · · · · · · · · · ·	14.	
2. SPECIAL 3. DESIG	INSP EQUIP DRWGS GN DOCUMENTATION	& ASSOC LISTS	QAR OO-ALC/WMBA AMSJM-CDC	/ /
4. DI-SESS	-81004B		(LT ONLY) CO (LT ONLY)	/ /
5. SECTION	Е			
6. AMSJM-CI	OC 7. LT	8. A 9. N/A		
10. ASREQ	11.		15. TOTAL	0/ 1/ 0
12. ASREQ		13. WHEN REVISED		
16. REMARKS	3			

ALL CONTRACTOR ACCEPTANCE INSPECTION EQUIPMENT DOCUMENTATION (INCLUDING ACC EPTANCE INSPECTION EQUIPMENT DESIGNS, SMI AND THEIR OPERATING INSTRUCTIONS) FOR THOSE INSPECTION CHARACTERISTICS CLASSIFIED AS "MINOR" SHALL BE SUBMITT ED TO THE QAR FOR REVIEW AND APPROVAL. COPIES OF DESIGNS SHALL BE SUBMITTED AS INDICATED IN BLOCK 14. MEASURING DEVICES (CONTRACTOR IN-PROCESS WORK GAGES, FIXTURES, ETC.) WHEN USED FOR GATHERING SPC DATA, WHEN SPC IS THE MEAN S OF PRODUCT ACCEPTANCE, REQUIRE GOVT APPROVAL AND SHALL BE SUBMITTED IAW T

HE AIE CONTRACT CLAUSE. ALL CONTRACTOR ACCEPT. INSP EQUIP DOC (INCLUDING AC CEPTANCE INSPECTION EQUIPMENT DESIGNS, SMI AND THEIR OPERATING INSTRUCTIONS) SHALL REQUIRE APPROVAL PRIOR TO THE COMMENCEMENT OF THE FIRST ARTICLE TES T. ALLOW 45 DAYS FOR GOVT REVIEW.

SUBMIT VIA THE INTERNET OR MAIL A CDROM (PC FORMAT) OR A 3.5 DISKETTE.

1.	A005		14.					
2.	SPECIAL INSP EQUIP OPERATION 3.	NG INSTRUCT.	ANDON-CDC	/ 1/ / /				
4.	DI-QCIC-81005		(LT ONLY) CO (LT ONLY)	/ /				
5.	SECTION E							
6.	7. LT 8. A 9. N/A							
10	ASREQ 11.		15. TOTAL	0/ 2/ 0				
12.	ASREQ	13. WHEN REVISED						
	16. REMARKS ALL CONTRACTOR EQUIPMENT DESIGNS FOR THOSE INSPECTION CHARACTERISTICS AS "CRITICAL" OR "MAJOR" SHALL BE SUBMITTED, AS DESIGNATED IN BLOCK 14, THRU THE QAR FOR REVIEW AND APPROVAL. MEASURING DEVICES (CONTRACTOR IN-PROCESS WORK GAGES, FIXTURES, ETC.) WHEN USED FOR GATHERING SPC DATA, WHEN SPC IS THE MEANS OF PRODUCT ACCEPTANCE, REQUIRE GOVERNMENT APPROVAL AND SHALL BE SUBMITTED IAW THE AIE CONTRACT CLAUSE.							
1.	A006		14.					
2.	AMMUNITION DATA CARDS AMMO 3. COMP TECH DATA	& EXPLOSIVE	LOT SHIPMENT* MAIL TO DEST**	/ 2/ / 2/				
4.	DI-MISC-80043A							
5.	SECTION C, MIL-STD-1168							
6.	AMSJM-QAP 7. NO 8	8 9. N/A						
10.	ASREQ 11.		15. TOTAL	0/4/0				
12.	ASREQ	13. WHEN REVISED						
16.	ADCS SHALL BE PREPARED IAW MIL-STD-1168, SEC C SOW AND THIS CDRL BY ACCESSING THE WORLDWIDE AMMUNITION DATA REPOSITORY PROGRAM (WARP) WHICH IS LOCATED ON THE ARMY ELECTRONIC PRODUCT SUPPORT (AEPS) WEBSITE AT HTTP://AEPS.RIA.AFMY.MIL. *HARD COPY ADCS PROVIDED WITH LOT SHIPMENTS SHALL BE GENERATED FROM THE WARP PROGRAM AND SIGNED AND DATED BY THE GARA. **(WHEN BALLISTIC TESTS ARE REQ, ONE HARD COPY GENERATED FROM THE WARP PROGRAM, SIGNED AND DATED BY THE GARA SHALL BE SENT TO THE PROVING GROUND WITH SAMPLE SHIPMENT, PLUS AN ADDITIONAL SIGNED, HARD COPY PROVIDED TO THE PROVING GROUND BY MAIL.							

OO-ALC/TIELV / 1/

2. TEST/INSPECTION REPORTS

1. A007

- 3. FIRST ARTICLE INSPECTION REPORT (GOVT TEST)
- 4. DI-NDTI-80809B*
- 5. AIRMUNITION SPEC.
- 6. OO-ALC/WMB 7. SD**

7. SD** 8. 9. D****

10. 1TIME 11.

15. TOTAL 0/ 1/ 0

12. BLK 16***

13. N/A

16. REMARKS

*CONTRACTOR FORMAT ACCEPTABLE. BLK 10 IS TAILORED TO INCORPORATE THE FOLLOWING APPLICABLE DATA REQUIREMENTS:

DIMENSIONS AND TOLERANCES SPECIFIED ON THE MANUFACTURING DATA SHALL BE LISTED IN ONE COLUMN WITH THE ACTUAL CORRESPONDING READING OBTAINED FROM INSPECTION OF THE PART, LISTED IN ANOTHER COLUMN.

MTRLS UTILIZED IN THE MFG OF "FA" ITEM SHALL BE IDENTIFIED AND CERTIFIED ALONG WITH A COPY OF MTRL PURCH REQ AS CONFORMING TO APPLICABLE DATA ROMNTS.

MATERIAL PROCESSES INCLUDING FINISH REQUIREMENTS (PLATING, HEAT TREATMENT, WELDING INSPECTIONS, ANODIZE, PAINTING, ETC.) UTILIZED IN THE MANUFACTURE OF THE FIRST ARTICLE WILL BE IDENTIFIED AND CERTIFIED AS CONFORMING TO THE CAPABLE REQUIREMENTS. A COPY OF THE PURCHASE ORDER CERTIFYING THE PROCESSES ACCOMPLISHED AT OTHER THAN CONTRACTOR FACILITY SHALL BE INCLUDED.

OTHER REQUIREMENTS AS CALLED OUT ON ENGINEERING DATA REQUIREMENT (AFLC FORM 3720).

- **THE DD FORM 250 SHALL BE ANNOTATED WITH THE LOT NO., NSN AND NOMENCLATURE.
- ***REPORT TO ASSIST IN "FIRST ARTICLE" TESTING BY THE AIR FORCE SHALL BE SUBMITTED CONCURRENTLY WITH THE "FIRST ARTICLE" ITEM.
- ****DIST. STATEMENT D. DISTRIBUTION AUTHORIZED TO THE DOD AND U.S. DOD CONTRACTOR ONLY (CRITICAL TECHNOLOGY) (DATE OF CONTRACT AWARD). OTHER REQUESTS SHALL BE REFERRED TO OO-ALC/WMB.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP 2401 ET. SEQ. VIOLATIONS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

APPROVED BY: SHELLEY SCHABILION, SDMO, AMSTA-AR-QAC-D(RI) DATE: 04/09/2003